

KALICH84

ENGLISH

X

| | |
|------------------|----------------------------|
| Category formula | Tooth-paste Remineralizing |
|------------------|----------------------------|

REMINERALIZING TOOTH-PASTE WITH KALIDENT

INGREDIENTI/INGREDIENTS

| COMMERCIAL NAME | INCI NAME | % | SUPPLIERS |
|-----------------|-----------|---|-----------|
|-----------------|-----------|---|-----------|

| | | | | |
|----|---------------------------|---------------------------------------|--------------------|----------------------------|
| 1 | CELLULOSE GUM | CELLULOSE GUM | 1,5 - 2 | VARI/VARIOUS |
| 2 | GLYCERIN | GLYCERIN | 20 | VARI/VARIOUS |
| 3 | SORBITOL 70% | SORBITOL, ACQUA | 5 | VARI/VARIOUS |
| 4 | AEROSIL 200 | SILICA | 1,0 - 2,0 | |
| 5 | SODIUM SACCHARIN | SODIUM SACCHARIN | 0,15 - 0,3 | VARI/VARIOUS |
| 6 | SYLOBLANC 81 | SILICA | 14 | GRACE DAVISON |
| 7 | SYLOBLANC 82 | SILICA | 2 | GRACE DAVISON |
| 8 | KALIDENT | HYDROXYAPATITE, AQUA | 10,0 - 30,0 | KALICHEM ITALIA SRL |
| 9 | OLIVOIL GLUTAMMATE | SODIUM OLIVOYL GLUTAMATE, AQUA | 1,3 - 1,5 | KALICHEM ITALIA SRL |
| 10 | WATER DEMIN./DEPUR. | AQUA | Q.B. a 100 | |



METODO/METHOD

| | |
|---|--|
| A | Disperse homogeneously in sequence all the ingredients in the water, stirring and |
| B | Add at the end the olivoil glutammate always stirring and avoiding the formation of foam |
| C | Add aroma, preservative and adjust the pH until a value of 7 - 7,5 is obtained |